




Sunny Indoor Ceiling Antenna, 617-960/1710-2700/3300-3800MHZ, 5.5dBi N(F) or 4.3-10(F)

Model : SUN-ICA-617'3800-5.5-XX

Where XX is connector type – NF, 4310F



Model	SUN-ICA-617'3800-5.5-XX			
Electrical Specifications				
Frequency Range (MHz)	617-806	806-960	1710-2700	3300-3800
Polarization	Vertical			
Gain (dBi)	2.0	2.0	5.0	5.5
Vertical Beamwidth (°)	85	80	54	28
Horizontal Beamwidth (°)	360			
VSWR	≤2	≤1.8	≤1.5	≤1.5
3rd Intermodulation (dBc)	≤-145@2x33dBm			
Impedance (Ω)	50			
Max Power (W)	50			
Lightning Protection	DC Ground			
Mechanical and Environmental Specifications				
Connector	N(F) or 4.3-10(F)			
Dimensions (mm)	Ø186x86			
Weight (kg)	0.25			
Reflector Material	Aluminum			
Radome Material	ABS (UV Stabilized)			
Operating Temperature (°C)	-40 ~ +65			



Technical data are subjected to change without notice – File: SUN-ICA-617'3800-5.5-XX datasheet 2021V1.1